



E-Revo VXL Brushless (Model 86086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5101 Ball bearings, blue rubber sealed (12x21x5mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5180 Ball bearings, blue rubber sealed (6x13x5mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
- 5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 8615 Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
- 8614 Body posts, clipless, front & rear (1 each)
- 8613 Body support/ 3x12mm CS (4)
- 8611 Body, E-Revo (clear, requires painting)/window, grill, lights decal sheet**
- 8611G Body, E-Revo, green/ window, grill, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
- 8611A Body, E-Revo, orange/ window, grill, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
- 2514 Decal sheet, racing sponsors**
- 9950 Official Team Traxxas racing decal set (flag logo/ 6-color)**
- 8617 Skid plate, roof (body)/ 3x12mm CS (4)
- 5185 Tires, rubber (2) (fits Traxxas wheelie bar wheels)**
- 4974 Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 5473 Wheelie bar mount (1)(fits 1/10 scale Revo trucks)**
- 5472 Wheelie bar, assembled (fits all 1/10th scale Revo trucks)**
- 4976 Wheels (4)/ Axles (2), for wheelie bar**
- 5413 Wing mount, center / wing washers (for Revo)
- 8616 Wing mounts, low profile
- 5446 Wing, Revo (black)/ decal sheet
- 5446G Wing, Revo (Exo-Carbon finish)/ decal sheet**
- 5412 Wing, Revo (white)/ decal sheet**

Bumpers & Skidplates

- 5335X Bumpers, front and rear (black chrome)
- 5315 Guards, steering servo (2)
- 8637 Skid plate set, front/ skid plate, rear/ 3x10 BCS (6)/ 3x30 BCS (1) (fits #8629 & 8630 bulkheads)
- 5637X Skidplate, transmission, nylon (black)/ cover

Chassis & Attachments

- 8615 Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
- 5624 Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
- 5323 Bulkhead tie bars, front & rear (blue-anodized aluminum)
- 5323R Bulkhead tie bars, front & rear (red-anodized aluminum)**
- 8630 Bulkhead, front (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
- 8629 Bulkhead, rear (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
- 8620 Chassis supports, front & rear/ 3x12mm BCS (4)/ 3x15mm CS (4)/ 4x14mm BCS (1)
- 8622 Chassis, E-Revo (requires #8629 & 8630 bulkheads)
- 5627 Door, battery compartment (2) (fits right or left side)
- 5315 Guards, steering servo (2)
- 5629 Retainer clip, battery (1)/ front clip (1) /rear clip (1)/ foam spacer (1) (for one battery compartment)
- 5625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 5317 Shock mounts (front & rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1)
- 8637 Skid plate set, front/ skid plate, rear/ 3x10 BCS (6)/ 3x30 BCS (1) (fits #8629 & 8630 bulkheads)
- 5637X Skidplate, transmission, nylon (black)/ cover
- 5185 Tires, rubber (2) (fits Traxxas wheelie bar wheels)**
- 5628 Vent, battery compartment (includes latch) (1 pair, fits left or right side)
- 4974 Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 5473 Wheelie bar mount (1)(fits 1/10 scale Revo trucks)**
- 5472 Wheelie bar, assembled (fits all 1/10th scale Revo trucks)**
- 4976 Wheels (4)/ axles (2), for Maxx wheelie bar**

Cush Drive Components

- 6465 Cush drive key/ pin/ elastomer damper
- 6487X Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
- 6494X Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)**
- 7793X Housing, cush drive (front & rear halves)
- 6447 Spur gear, 46-tooth (1.0 metric pitch)**
- 6448 Spur gear, 50-tooth (1.0 metric pitch)**
- 6449 Spur gear, 54-tooth (1.0 metric pitch)

Differential Components

- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 8681X Carrier, differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 MW
- 8681 Carrier, differential (heavy duty)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 PTW
- 8680 Differential gasket/ x-rings (2)/ 12.2x18x0.5 MW (1)/ 12.2x18x0.5 PTW (1)
- 5136X Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 8682 Gear set, differential (spider gears (4), spider gear shaft (2))
- 5130 Oil, differential (100K weight) (.7 oz (20cc))**
- 5135 Oil, differential (10K weight)**
- 5040 Oil, differential (20M weight) (standard)
- 5136 Oil, differential (30K weight)**
- 5137 Oil, differential (50K weight)
- 8684 Output gear, center differential, hardened steel (2)
- 8683 Output gears, differential, hardened steel (2)
- 8679 Ring gear, differential/ pinion gear, differential

Driveline Components

- 8635 Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
- 8652 Drive cup, machined steel (2)/ 4x17mm screw pins (2)
- 8650 Driveshaft, steel constant-velocity (heavy duty, shaft only, 122.5mm)
- 5150 E-clips, 1.5mm (24)
- 8655 Half shafts, center (internal splined (2)/ external splined (2)) (plastic parts only)
- 8651 Rebuild kit, driveshaft (cross pin (2)/ 16mm pin (2)) (metal parts for 2 driveshafts)
- 5145 Screw pin, 4x15mm (6)
- 8653 Stub axle
- 5452 U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20)) (metal parts for 2 driveshafts)
- 8654 Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
- 8654G Wheel hubs, splined, 17mm (green-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)**
- 8654R Wheel hubs, splined, 17mm (red-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)**
- 7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
- 7758G Wheel nuts, splined, 17mm, serrated (green-anodized) (4)**
- 7758R Wheel nuts, splined, 17mm, serrated (red-anodized) (4)**
- 8658 Yokes, transmission (2)/ 4x15mm screw pins (2)

Front Suspension

- 8635 Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
- 5323 Bulkhead tie bars, front & rear (blue-anodized aluminum)
- 5323R Bulkhead tie bars, front & rear (red-anodized aluminum)**
- 8630 Bulkhead, front (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
- 5134 Caster spacers (4)/ shims (4)
- 5378X Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
- 4933 Pivot balls (4)/ pivot ball cap bushings (4)
- 4933X Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)**
- 8618 Push rod (steel) (assembled with rod ends) (2)
- 5354X Rocker arm post (aluminum) (4)**
- 5354 Rocker arm post (steel) (2)
- 5358 Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
- 8647 Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)
- 8646 Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
- 8632 Suspension arms, front (left), heavy duty (upper (1)/ lower (1))
- 8631 Suspension arms, front (right), heavy duty (upper (1)/ lower (1))
- 5321 Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
- 8638 Toe link, 5.0mm steel (front or rear) (2)

Hardware

5150	E-clips, 1.5mm (24)
5477	Flat wrench, 5mm (blue-anodized aluminum)
5478	Flat wrench, 8mm (blue-anodized aluminum)
3980	Glow plug wrench (universal wrench)
2586	Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
5475	Multi-tool (plastic)
5144	Screw pin, 2.5x18mm (6)
5145	Screw pin, 4x15mm (6)
3236	Screws, 2.5x12mm cap-head machine (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm cap-head machine (6) (no washer)
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with Threadlock)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
3971	Screws, 3x35mm cap-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3936	Screws, 4x10mm button-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
3929	Screws, 4x18mm button-head machine (hex drive) (6)
3939	Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)

4897	Screws, set (grub) 4mm (6) (with threadlock)
------	--

Motors & Electronics

2072	Gear set (for 2070, 2075 servos)
8661	Motor mount hinge post/ 5x25mm BCS (1)/ 4x16mm CS with split and flat washer (1)
5660	Motor mount, finned aluminum
3481	Motor, 2200Kv 75mm, brushless (with 6.5mm gold-plated connectors & high-efficiency heatsink)
8690	Plate, motor
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3480	Velineon VXL-6s Brushless Power System, waterproof (includes VXL-6s ESC and 2200Kv, 75mm motor)
3485	Velineon VXL-6s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6546	Battery door, TQi transmitter (replacement for #6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2991	Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2971	Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
5632	Chassis brace, rear (fits E-Revo / Summit)
6525	Communication link, telemetry expander
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072	Gear set (for 2070, 2075 servos)
6556	Mount, telemetry expander (fits XO-1, E-Revo*, Summit*, all Maxx trucks, Revo 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)

6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6522	Sensor, RPM (short) 3x4mm BCS (2)
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6550	Telemetry expander, TQi radio system
6551	Telemetry GPS module, TQi radio system
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link Wireless Module

Ready-To-Race Model

86086-4	E-Revo VXL Brushless: 1/10 Scale 4WD Brushless Electric Monster Truck with TQi 2.4GHz Traxxas Link Enabled Radio System and Traxxas Stability Management (TSM)
---------	--

Rear Suspension

8635	Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red-anodized aluminum)
8629	Bulkhead, rear (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
8618	Push rod (steel) (assembled with rod ends) (2)
5354X	Rocker arm post (aluminum) (4)
5354	Rocker arm post (steel) (2)
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
8647	Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)
8646	Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
8634	Suspension arms, rear (left), heavy duty, adjustable wheelbase (upper (1)/ lower (1))
8633	Suspension arms, rear (right), heavy duty, adjustable wheelbase (upper (1)/ lower (1))
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
8638	Toe link, 5.0mm steel (front or rear) (2)

Shocks (GTR)

5466X	Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)
5465	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
5462	Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
5469	Rod ends (GTR shocks) (6)
5463	Shaft, GTR shock (2) (stainless)
5463T	Shaft, GTR shock, TiN-coated (2)
5460	Shocks, GTR aluminum (assembled) (2) (without springs)
5460A	Shocks, GTR aluminum, blue-anodized (fully assembled w/o springs) (4)
5460R	Shocks, GTR aluminum, red-anodized (fully assembled w/o springs) (4)
5460X	Shocks, GTR hard-anodized, PTFE-coated aluminum bodies with TiN shafts (fully assembled w/o springs) (4)
5461	Variable damping kit, GTR shocks (includes #1, #2, #3 pistons and stainless steel valves)

Springs

5435	Spring, shock (red) (GTR) (2.6 rate yellow) (1 pair)
5436	Spring, shock (red) (GTR) (2.9 rate white) (1 pair)
5437	Spring, shock (red) (GTR) (3.2 rate orange) (1 pair)
5438	Spring, shock (red) (GTR) (3.5 rate green) (1 pair)
5439	Spring, shock (red) (GTR) (3.8 rate gold) (1 pair)
5440	Spring, shock (red) (GTR) (4.1 rate tan) (1 pair)

- 5441 Spring, shock (red) (GTR) (4.4 rate black) (1 pair)
- 5442 Spring, shock (red) (GTR) (4.9 rate silver) (std. front 120mm) (1 pair)
- 5444 Spring, shock (red) (GTR) (5.9 rate blue) (std. rear 120mm) (1 pair)
- 5445 Spring, shock (red) (GTR) (6.4 rate purple) (1 pair)
- 5443 Spring, shock red (GTR) (5.4 rate pink) (1 pair)

Spur Gears & Pinion Gears

- 6484X Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
- 6485X Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
- 6486X Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
- 6488X Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
- 6487X Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
- 6489X Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
- 6490X Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
- 6491X Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
- 6494X Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
- 6447 Spur gear, 46-tooth (1.0 metric pitch)
- 6447X Spur gear, 46-tooth, steel (1.0 metric pitch)
- 6448 Spur gear, 50-tooth (1.0 metric pitch)
- 6448X Spur gear, 50-tooth, steel (1.0 metric pitch)
- 6449 Spur gear, 54-tooth (1.0 metric pitch)
- 6449X Spur gear, 54-tooth, steel (1.0 metric pitch)

Steering Components

- 5355X Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
- 5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
- 5343X Mount, steering arm/ steering stops (2) (lower hinge pin retainer) (includes standard and maximum throw steering stops)
- 5469 Rod ends (GTR shocks) (6)
- 8646 Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
- 5349 Rod ends, small, with hollow balls (6) (for Revo steering linkage)
- 5345X Servo horns, steering and throttle (for non-Traxxas servos (Hitec, JR, KO, Airtronics))
- 5345R Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
- 5344X Servo saver spring, heavy duty (for use with metal-gear servos)
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 8638 Toe link, 5.0mm steel (front or rear) (2)

Suspension Linkage

- 5355X Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
- 5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
- 8618 Push rod (steel) (assembled with rod ends) (2)
- 5469 Rod ends (GTR shocks) (6)
- 8646 Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
- 5345R Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
- 5321 Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
- 8638 Toe link, 5.0mm steel (front or rear) (2)

Team Traxxas Items

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas racing decal set (flag logo/ 6-color)
- 9909 Traxxas racing banner, red & black (3x7 feet)

Tires & Wheels

- 8674 Tires & wheels, assembled, glued (black 3.8" wheels, paddle tires, foam inserts) (2) (TSM rated)
- 8672 Tires & wheels, assembled, glued (black wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)
- 8672G Tires & wheels, assembled, glued (green wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)
- 8672A Tires & wheels, assembled, glued (orange wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)

- 4983A Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx tires (6.3" outer diameter), foam inserts) (2) (fits Maxx/Revo series) (TSM rated)
- 5670 Tires, Canyon AT 3.8" (2)/ foam inserts (2)
- 4973 Tires, Maxx 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo/Maxx series)
- 5171 Tires, Maxx Chevron 3.8" (2) (fits Revo/Maxx series)
- 8673 Tires, paddle
- 5375 Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
- 5471 Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
- 5470 Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2)
- 8670 Tires, Talon EXT 3.8" (2)/ foam inserts (2)
- 8654 Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
- 8654G Wheel hubs, splined, 17mm (green-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
- 8654R Wheel hubs, splined, 17mm (red-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
- 7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
- 7758G Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
- 7758R Wheel nuts, splined, 17mm, serrated (red-anodized) (4)
- 8671 Wheels, 3.8" (black) (2) (17mm splined)
- 8671G Wheels, 3.8" (green) (2) (17mm splined)
- 8671A Wheels, 3.8" (orange) (2) (17mm splined)

Transmission Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 8681X Carrier, differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 MW
- 8677 Cover, gear/ 3x12mm CS (1)
- 6465 Cush drive key/ pin/ elastomer damper
- 8682 Gear set, differential (spider gears (4), spider gear shaft (2))
- 8691 Gearbox halves (front & rear)/ idler gear shaft
- 5041 Grease, premium high performance (20cc)
- 7793X Housing, cush drive (front & rear halves)
- 8692 Input shaft/ idler gear
- 8661 Motor mount hinge post/ 5x25mm BCS (1)/ 4x16mm CS with split and flat washer (1)
- 5660 Motor mount, finned aluminum
- 8685 Output gear, 36-tooth, metal
- 8684 Output gear, center differential, hardened steel (2)
- 8690 Plate, motor
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 1647 Silicone grease

Turnbuckles & Threaded Rods

- 5477 Flat wrench, 5mm (blue-anodized aluminum)
- 5341 Linkage, steering (Revo 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
- 8618 Push rod (steel) (assembled with rod ends) (2)
- 8647 Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)
- 8638 Toe link, 5.0mm steel (front or rear) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM